CANDIDATE		CLASS	
NAME	,	OLAGO	



# Anglo-Chinese School (Barker Road)

# END-OF-YEAR EXAMINATION 2021 SECONDARY THREE EXPRESS

### MATHEMATICS 4048 PAPER 1

#### 1 HOUR 30 MINUTES

Candidates answer on the Question Paper.

#### **READ THESE INSTRUCTIONS FIRST**

Write your index number and name on all the work you hand in. Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.

#### Answer all questions.

If working is needed for any question it must be shown with the answer.

Omission of essential working will result in loss of marks.

The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For  $\pi$ , use either your calculator value or 3.142, unless the guestion requires the answer in

terms of  $\pi$ .

The number of marks is given in brack	ets[] at the en	d of each question	or part question.

The total of the marks for this paper is 60.

For Examiner's Use

This question paper consists of 14 printed pages.

#### Mathematical Formulae

Compound interest

Total amount = 
$$P\left(1 + \frac{r}{100}\right)^n$$

Mensuration

Curved surface area of a cone  $= \pi r l$ 

Surface area of a sphere =  $4\pi r^2$ 

Volume of a cone 
$$=\frac{1}{3}\pi r^2 h$$

Volume of a sphere 
$$=\frac{4}{3}\pi r^3$$

Area of triangle 
$$ABC = \frac{1}{2}ab\sin C$$

Arc length =  $r\theta$ , where  $\theta$  is in radians

Sector area =  $\frac{1}{2}r^2\theta$ , where  $\theta$  is in radians

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

**Statistics** 

$$Mean = \frac{\sum fx}{\sum f}$$

Standard deviation = 
$$\sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f}\right)^2}$$

1	(a)	Calculate	$-2.5^2 + \sqrt{49}$
•	(4)	Calculate	3-1.098

Write down the first five digits of your answer.

Anguan	£11
Answer	111

(b) Write your answer in (a) correct to 3 significant figures.

Answer	 [1]	l
		,

2 (a) Express 1188 as a product of its prime factors.

Answer		[	1	
--------	--	---	---	--

(b) Using your answer to part (a), explain why 1188 is not a perfect cube.


Answer

 						[1]

Y is inversely proportional to the cube of x.
 The value of Y is 18 for a particular value of x.
 Find the value of Y if x is three times its original value.


Answer \_\_\_\_\_ [2]

4 (a) The sketch represents the graph of  $y = x^n$ . Write down the value of n.



Answer n = [1]

**(b)** Write down a possible equation for the graph below.





Answer [1]

5 Due to the Covid-19 pandemic, Mr Ong's monthly revenue for his food business was reduced by 60%. The revenue last month was \$5000. Find the original amount of revenue that he could earn before the pandemic.

Answer \$\_\_\_\_\_[2]

In the figure below, PQR is a straight line and PQS is a right- PQ = 12 cm and QS = 8 cm. 6





Giving your answer as a fraction in its lowest form, find the value of

sin∠SPQ (a)

Answer	۲1	ĺ	ì
AIBWEI	L^	٠.	

(b) cos∠SQR

4nswer		[1]	
--------	--	-----	--

The first five terms of a sequence are 7

$$\frac{1}{2}, \frac{2}{5}, \frac{3}{8}, \frac{4}{11}, \frac{5}{14}, \dots$$


(a) Write down the next term.

Answer	 [1]

Write down the  $n^{th}$  term. **(b)** 

Answer		[1]
--------	--	-----

8 Patrick conducted a survey in his class to find out about the most popular mobile phone. The results were shown in the graph below.



(a) State one misleading feature of the graph.


Explair	n how this feature may affect the readers' interpretation of the graph	
Answer		

9 (a) Solve the inequality  $-\frac{1}{2} < 3x - 4 \le 8$ .

<i>Answer</i>	 [2]

**(b)** Represent your answer above on the number line below. *Answer* 

[1]



10 The table below shows information about the public transport ridership in Singapore.

Year	2015	2016
Bus	3.81×10 <sup>6</sup>	3.93×10 <sup>6</sup>
MRT	2.879×10 <sup>6</sup>	3.095×10 <sup>6</sup>
Taxi	1.01×10 <sup>6</sup>	9.54×10 <sup>5</sup>
LRT	1.53×10 <sup>5</sup>	1.8×10 <sup>5</sup>

(a) Calculate how many more people travelled by bus in 2016 than in 2015. Give your answer in standard form.

<i>Answer</i>	[1]

(b) Calculate the percentage decrease in the taxi ridership from 2015 to 2016.

Inswer	%	[2]

11	Four The o	lygon has $n$ sides. of its interior angles are $120^{\circ}, 125^{\circ}, 14$ other interior angles are $135^{\circ}$ each. late the value of $n$ .	0° and 155°.	
			Answer	[3]
12	The s (a)	Scale of a map is 5 cm : 2 km.  Write this scale in the form 1 : n.  The actual area of a garden is 1.37 k  Calculate the area, in square centime	Answer 1:	[1]
			Answercm	2 [2]

The diagram below shows a map of Singapore. Joe is staying at point A, Elliot is staying at point B and Thaddeus is staying at point C.

Using suitable methods of construction with a ruler and a pair of compasses,

- (a) locate where Elliot is staying and label it with 'B' given that  $\angle BAC = 50^{\circ}$  and  $\angle ACB = 53^{\circ}$ , and
- (b) find the best place for Joe, Elliot and Thaddeus to meet so that everyone travels an equal distance to the meeting place. Label the best place with 'M'. [2]

Answer (a), (b)



14 A piece of plastic toy has a mass of 88 grams, correct to the nearest gram.

(a) Find the range of possible mass of the plastic toy.

Answer [1]


(b) The volume of the plastic toy is 100 cm<sup>3</sup>, correct to the nearest cubic centimetres. Find the greatest possible mass of 1 cubic centimetre of the plastic toy.

Answer g/cm<sup>3</sup> [2]

15 (a) Express  $x^2 - 6x + 6$  in the form of  $(x + a)^2 + b$ .

Answer [2]

(b) Hence, sketch the graph of  $y = x^2 - 6x + 6$ , indicating all the intercepts and turning point clearly.



[2]

16	Factorise	the	following	completely
	I GC COI IS C		10110 11 1119	J

(a) 10xy + 15y - 12x - 18

Answer	[2]

**(b)**  $xy^3 - x^3y$ 


17 (a) Simplify  $(-3q^2r^{-2})^2$ , leaving your answer in positive index.

(b) Given that  $7^k = \sqrt{343}$ , find the value of k.

Answer 
$$k =$$
 [2]

One end of a piece of string of length 1.6 m is fixed to a point P. A ball is attached to the other end and its centre moves along a circular arc between A and B, the two extreme positions of its path. The point C is the lowest position of the path of the centre of the ball.

In the extreme positions A and B, the centre of the ball is 0.5 m above the horizontal ground and the string makes an angle of 40° with the vertical.



(a) Calculate the distance travelled by the ball as it travels from A to B.


Answer m [2]

(b) Explain, with calculation, if the ball would collide with a 12 cm tall statue, that is placed under C.

Answer

[3]


The diagram below shows the line  $l_1$  which intersects the x-axis and y-axis at points Q and P respectively. Line  $l_2$  is parallel to line  $l_1$ .



Given that the length of PQ is 5 units and the equation of line  $l_2$  is  $y = -\frac{4}{3}x$ , find the coordinates of P.

Answer	P(	,)	)	[4]	ı
--------	----	----	---	-----	---

The speed-time graph below shows the speed of a van over a period of 18 seconds.



(a) Describe the motion of the van from t = 6 seconds to t = 14 seconds.

Answer	
	[1]

(b) Find the speed of the van at 14.5 seconds.

Answer		m/s	[2]
Answer	 	 III/S	[4]

(c) Find the average speed of the van for the whole journey.

Answer	m/s	[2]
	 -	

**End of Paper** 

CANDIDATE ( ) CLASS



# Anglo-Chinese School (Parker Road)

# **END-OF-YEAR EXAMINATION 2021 SECONDARY THREE (EXPRESS)**

#### MATHEMATICS 4048 PAPER 2

#### 2 HOURS

Candidates answer on the Question Paper.

#### **READ THESE INSTRUCTIONS FIRST**

Write your index number and name on all the work you hand in. Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

#### Answer all questions.

If working is needed for any question it must be shown with the answer.

Omission of essential working will result in loss of marks.

The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For  $\pi$ , use either your calculator value or 3.142, unless the question requires the answer in terms of  $\pi$ .

The number of marks is given in brackets [ ] at the end of each question or part question. The total of the marks for this paper is 80.

For Examiner's Use

This question paper consists of 19 printed pages and 1 blank page.

#### Mathematical Formulae

Compound interest

Total amount = 
$$P\left(1 + \frac{r}{100}\right)^n$$

Mensuration

Curved surface area of a cone =  $\pi rl$ 

Surface area of a sphere =  $4\pi r^2$ 

Volume of a cone 
$$=\frac{1}{3}\pi r^2 h$$

Volume of a sphere 
$$=\frac{4}{3}\pi r^3$$

Area of triangle 
$$ABC = \frac{1}{2}ab\sin C$$

Arc length =  $r\theta$ , where  $\theta$  is in radians

Sector area 
$$=\frac{1}{2}r^2\theta$$
, where  $\theta$  is in radians

Trigonometry


$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$Mean = \frac{\sum fx}{\sum f}$$

Standard deviation = 
$$\sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f}\right)^2}$$



Answer	[2]

**(b)** Simplify  $\frac{5a^2b^2c}{2a^3} \div \frac{-(2b)^3}{9c}$ .

Answer	[3]

- (c) It is given that  $A = \frac{3}{2} \left( \frac{p^2 q^2}{r} \right)$ 
  - (i) Find A when p = 2, q = -1 and r = 5.5.

Answer \_\_\_\_\_ [1]

(ii) Express q in terms of A, p and r.

2 27 students in a class sat for a Mathematics Weighted Assessment and Science Weighted Assessment. The maximum mark for each of the Weighted Assessment was 40 marks. Their marks were represented in the stem and leaf diagram below.

Mathematics											S	ci	en	ce								
						9	8	7	5	1	1 2 3	0	2	3	8	8	9					
9	9	8	6	5	5	5	3	2	1	0	2	0	0	1	1	2	3	5	6	8	8	
8	8	7	7	6	5	5	3	2	2	1	3	2	2	2	2	4	5	6	6	6	7	9
	Key: 1							3	2	N	Лa	th	en	ıat	ic		nd	a	l for score			

Using the stem and leaf diagram, find the

(a) (i) mean mark for the Mathematics Weighted Assessment,


	Answer	
(ii)	median mark for the Mathematics Weighted Assessment,	
	Answer	
(iii)	modal mark for the Science Weighted Assessment.	
	Answer	

(b) Calculate the percentage of students who scored more than 30 marks in Mathematics Weighted Assessment.

Answer	0/0	Г17
inswer	70	[1]

Which subject did the students do better in? Explain your answer.	
Answer	
because	
A distinction is awarded to scores more than 28 marks. Find the probability that a student chosen at random scored a distinction grade for the Science Weighted Assessment.	
Answer	
There was an error in the calculation for the Mathematics Weighted Assessment. Two marks were added to all of the students in the class. State how the mean and range of the Mathematics Weighted Assessment would be affected by this addition.	
Answer	

A closed container is made by joining together a cylinder and a cone as shown in On Diagram I. They have the same radius, 3 cm, and same height, 4 cm.



The container rests on a horizontal surface and is exactly half full of water.

(a) Calculate the surface area of the inside of the container that is in contact with the water. Leave your answer in terms of  $\pi$ .


Answer	-	$cm^2$	[4]
--------	---	--------	-----

**(b)** Show that the volume of the water is  $24\pi$  cm<sup>3</sup>.

Answer

[2]


(c) The container is held with its axis vertical, the cone being at the bottom, as shown in Diagram II.



Calculate the depth of the water.

Answer \_\_\_\_\_ cm [3]

4 (a) In the figure below, O is the centre of the circle. Points A, B, E and D lie on the circumference of the circle. When produced, the tangent at point D meets the line AB at C. AOD is a straight line. OB is parallel to DC, BE = DE and  $\angle DAB = 45^{\circ}$ . The diagram is not drawn to scale.




(i) Find  $\angle ACD$ .

		Answer		_ o	[1]
(ii)	Calculate $\angle EBD$ .				
(iii)	State reflex $\angle BOD$ .	Answer		0	[1]
(iv)	Prove that triangle AOR is	Answer	ngle ADC. State your reasons o	0 	[1]

Answer

[2]

**(b)** In the figure below, ABC, CDE and AFD are straight lines.



Given that AB = BC = CF and BF = FE,

(i) prove that triangle ABF is congruent to triangle CFE,

Answer [3]

(ii) prove that triangle *DEF* is an isosceles triangle.

Answer [2]

- Patrick planned a trip for his family to Australia for a vacation. A month before the trip, he exchanged Singapore Dollars (S\$) for Australian Dollar (AUD\$) at an exchange rate of S\$1 = AUD\$x.
  - (a) Write down an expression, in terms of x, for the amount of Singapore Dollars he exchanged if he received AUD\$2000.

Answer	S\$	[1]

Just one week before the trip, the Australian Dollar weakened to a new exchange rate of S\$1 = AUD\$ (x + 0.12). Patrick decided to exchange some Singapore Dollars to receive another AUD\$2000.

(b) Write down an expression, in terms of x, for the amount of Singapore Dollars he exchanged for the second time.

Answer S\$ [1]

(c) Given that he used S\$200 lesser to receive AUD\$2000 on the second exchange, form an equation in x and show that it reduces to  $25x^2 + 3x - 30 = 0$ .

Answer [3]

(d)	Solve $25x^2 + 3x - 30 = 0$ ,	giving your answers	s correct to 3 decimal	places.
	,	0	o de	Praces.

Answer x = or [3]

(e) Find the total amount of Singapore Dollars that he exchanged in total, giving your answer correct to the nearest cent.

Answer S\$ \_\_\_\_\_ [2]

Tuition
With

B

250 m

Points A, B and C are located on a garden. AC is 250 m and BC is 180 m. A is due south of C. The bearing of B from C is 205°.

(a) Calculate AB.

Answer	 [3]

(b) Calculate the bearing of A from B.

Answer	0	[3]
		L۳.

Answer  (d) Given that the height of the tree is 10 m, find the maximum angle o		]
(e) Siven may no neight of the dee to in, into the maximum ungle o	r cicration.	

7 The variables x and y are connected by the equation  $y = \frac{x}{3} + \frac{2}{x} - 1$ . Some corresponding values of x and y are given in the table below.

1									
	x	0.3	0.5	1	2	3	4	5	6
	y	5.77	p	1.33	0.67	0.67	0.83	1.07	1.33

(a) Find the value of p, correct to two decimal places.

Answer	p =	[1]
	1	

- (b) On the given axes on the next page, plot the points given in the table and join them with a smooth curve for  $0.3 \le x \le 6$ . [3]
- (c) By drawing a suitable line on your graph, find the solutions of the equation  $\frac{x}{3} + \frac{2}{x} = 2 \text{ in the range } 0.3 \le x \le 6.$

Answer 
$$x =$$
 or [2]

(d) By drawing a tangent, find the value of x where the gradient of the curve is approximately -2.5.


Answer 
$$x =$$
 [2]

(e)	(i)	On the same grid in (b), draw the line $y + x = 5$ for $0 \le x \le 6$ . Write down the x-coordinate of the two points where this line	meets the
		curve.	with
			39,300

Answer	<i>x</i> =	and	[2	]
--------	------------	-----	----	---

(ii) These values of x are the solutions of the equation  $Ax^2 - Bx + 3 = 0$ . Find the values of A and B.

Answer	A =	
	B =	[3]



- 8 Amelia is a seller on an online shopping platform, ShopNow.
  - (a) She borrowed \$12 000 from a local bank with r% interest rate, compounded every year, to set up her online business in January 2018. She repaid the bank completely in January 2021, with an amount of of \$13267. Calculate r.

Answer	r =			[3]
	•		 	L~ .

(b) ShopNow charges a commission fee of 5% for all the items that are sold through its platform, excluding 7% Goods and Services Tax (GST). In July, Amelia sold a total of \$3500 worth of electronic products. Calculate the total amount of commission fee inclusive of GST that she will need to pay to ShopNow.

(c) Amelia is launching a sale of a new electronic product in a month's time (30 days).

The table below shows the information on the costs that Amelia will incur with the launch of the sale of the new electronic product.

Production Cost of the product	\$99 per set
Parcel Packaging Cost	\$3.50 per set
Shipping Fee to buyer	\$1.41 per set
Advertising Fees on ShopNow	\$16 per day
Additional Fees charged by ShopNow	\$392.10 per month
Office Rental Cost inclusive of utilities	\$600 per month

After doing a market survey on the new electronic product, she estimates that she will be able to sell about 90 sets per month. She is targeting to earn a profit of between 20% and 30% of the total cost. There is currently one online seller who is selling a similar electronic product and it is priced at \$150.

Suggest a sensible amount that Amelia should charge for each set of the new electronic product. Justify the decision you make and show your workings clearly.

Answer


**End of Paper** 

[5]

#### **BLANK PAGE**



1	(a) (b)	-1.3620 -1.36	
2		$\frac{-1.30}{2^2 \times 3^3 \times 11}$	
	(a) (b)	The power of the prime bases are not multiples of	
		3.	
3		$Y = \frac{k}{27x^3}$	
		$\frac{27x^3}{}$	
		$=\frac{1}{27}\left(\frac{k}{x^3}\right)$	
		$\frac{27(x^3)}{x^3}$	
		$\frac{1}{27} \times 18 = \frac{2}{3}$	
4	(a)	3	
•	(u)		
	(b)	$y = 0.5^x$ Tuition	
5		Let x be the original amount of revenue.	
		$\frac{40}{100}x = 5000$ With	
		x = 12500	
6	(a)		
		$\left  \frac{2}{3} \right $	
	(b)	$\left  -\frac{2}{3} \right $	
	(0)	3	
7	(a)	6	
	( )	$\frac{1}{17}$	
	(h)	<u>n</u>	
	(b)	3n-1	
8		The axis does not start from zero.	]
		It may cause people to think that the percentage of respondents who likes Xphone is three times more	
		than the percentage of respondents who likes	
9	(0)	Starphone.	
9	(a)	$\left  -\frac{1}{2} < 3x - 4 \le 8 \right $	
		$\begin{vmatrix} 2 \\ -1 < 6x - 8 \le 16 \end{vmatrix}$	
		$\left  \frac{7}{6} < x \le 4 \right $	
	(b)		
		0	
		0	

1



Anglo-Chinese School

	1, 2 3 4	
	6	
0 (a)	3.93×10 <sup>6</sup> -3.81×10 <sup>6</sup>	
· · · · · · · · · · · · · · · · · · ·	=120000	
	$=1.2\times10^{5}$	
(b)	$\frac{9.54 \times 10^5 - 1.01 \times 10^6}{1.01 \times 10^6} \times 100\%$	
	=-5.5445	
	=-5.54%(3sf)	
11	$(n-2) \times 180 = 125 + 120 + 140 + 155 + 135(n-4)$	
	180n - 360 = 540 + 135n - 540	
10	n = 8	
12 (a) (b)	$1:40000 \\ 1cm^2:0.16km^2$	
(0)		
13 (a)	8.5625cm <sup>2</sup> Construction	
15 (a)	Tuition	
(b)	1 perpendicular bisector Tuition	
	Point of intersection of 3 perpendicular bisectors	
14 (a)	87.5 <i>g</i> ≤ mass<88.5 <i>g</i>	
(b)	88.5	
	99.5	
	= 0.89944	
	$=0.889g/cm^3(3sf)$	
15 (a)	$x-6x+\left(-\frac{6}{2}\right)^2+6-\left(-\frac{6}{2}\right)^2$	
	$\begin{pmatrix} x - 6x + \begin{pmatrix} -2 \end{pmatrix} + 6 - \begin{pmatrix} -2 \end{pmatrix} \end{pmatrix}$	
	$(x-3)^2-3$	
(1.)		
(b)		
	6 +	
	0 3	
	-3 - (3, -3)	



(Barker Road)

(Buil	ker Road)				
16	(a)	10xy - 12x + 15y - 18			
		=2x(5y-6)+3(5y-6)		3	
		=(2x+3)(5y-6)			
	(b)	$xy^3 - x^3y$			
		$=xy(y^2-x^2)$			
		$= xy(y^2 - x^2) Tuition$ $= xy(y-x)(y+x) uition$			
17	(a)	$9q^4r^4$ With			
		$=\frac{9q^4}{r^4}$			
	(b)	$7^k = 7^{\frac{3}{2}}$			
		$k = \frac{3}{2}$			
		<sup>k -</sup> 2			
18	(a)	80	<del> </del>		
	(-5)	$\frac{80}{360} \times 2\pi (1.6)$			
		= 2.23m			
	(b)	Let the intersection of $AB$ and $PC$ be $X$ .			
		DV			
		$\cos 40^{\circ} = \frac{PX}{1.6}$			
		$PX = 1.6\cos 40^{\circ} = 1.22567$			
		Height of $C$ above the ground			
		=0.5-(1.6-1.22567)			
		= 0.126			
		No the ball will not collide with the statue because			
		the height of C above the ground is 0.126m, more			
		than the height of the statue.			
			_		



Angio-Chinese School (Barker Road)

(Dair	(er Koau)		 	
19		$\sqrt{x^2 + y^2} = 5$		
		$\sqrt{x^2 + y^2} = 5$ $y = -\frac{4}{3}x$ $x^2 + (-\frac{4}{3}x)^2 = 25$		
	i	$x^2 + (-\frac{4}{3}x)^2 = 25$		
	:	$x^2 = 9$		
		x = 3  or  -3		
		y = 4		
		P(0,4)		
		Tuition		
20	(a)	The van was travelling at constant speed of 18 m/s.		
	(b)	x 18 WITH		
	ζ- /	$\frac{x}{18-14.5} = \frac{18}{4}$		
		x = 15.75		
		224		
	(c)	$\frac{234}{18} = 13 \text{m/s}$		
		10		



Anglo-Chinese School (Barker Road)

1	(a)	$\frac{3}{2}$
		2x-5 $5+x$
		$= \frac{3(5+x)-1(2x-5)}{(2x-5)(5+x)}$
		$=\frac{20+x}{(2x-5)(5+x)}$
	4.	
	(b)	$= \frac{5a^2b^2c}{2a^3} \times \frac{-9c}{8b^3}$ $= \frac{-45c^2}{16ab} \text{ Tuition}$
		$2a^3$ $8b^3$
		$=\frac{-45c^2}{16}IUIIIOI$
		16ab Varith
	(c)(i)	9 *************************************
	(ii)	
		$A = \frac{3}{2} \left( \frac{p^2 - q^2}{r} \right)$
		$\frac{2Ar}{3} = p^2 - q^2$ $q^2 = p^2 - \frac{2Ar}{3}$ $q = \pm \sqrt{p^2 - \frac{2Ar}{3}}$
		$\begin{vmatrix} 2 & 2 & 2Ar \end{vmatrix}$
		$q^{-}=p^{-}-\frac{1}{3}$
		$a = + \sqrt{r^2 - \frac{2Ar}{r}}$
		$\int_{0}^{4} - \sqrt{P} = 3$
2	(a)(i)	737
	(-)(-)	$\left  \frac{737}{27} \right $
		= 27.296
		=27.3(3sf)
	(ii)	28
	(iii)	
	(111)	32
	(b)	$\frac{11}{27} \times 100\%$
		, , , , , , , , , , , , , , , , , , ,
		=40.7%(3sf)
	(c)	Mathematics because the median mark is 28 marks
		which is higher than the median mark for Science weighted assessment which is 26 marks. (or
		comparison of mean: Math (27.3) Science (26.1)).



(d)	11		
	27		
(e)	The mean will increase by 2 marks. Range will remain the same.		
(a)	Slanted height of cone = 5 cm		
	Total surface area		
	$=\pi(3)^2+2\pi(3)(4)+\pi(3)(5)$		
	$=48\pi$		
	Surface area in contact with water $= 24\pi$		
(b)	Volume of cylinder = $\pi(3)^2(4) = 36\pi$		
	Volume of cone = $\frac{1}{3}\pi(3)^2(4) = 12\pi$	j.	
	Volume of water = $\frac{1}{2}(36\pi + 12\pi) = 24\pi$		
(c)	Volume of water in cylinder Tuitio		
(0)	$= 24\pi - 12\pi = 12\pi$ with	10F	
	Height of water in cylinder		
	$=12\pi \div \pi (3)^2 = \frac{4}{3} \text{ cm}$		
	Depth of the water		
	$=\frac{4}{3}+4=5.33 \mathrm{cm}$		
	OR		
	Ratio of volume of cylinder: cone = 3:1		:
	Volume of container → 4 units		
	Volume of water → 2 units		
	Volume of water in container → 1 unit		
	Height of water in cylinder = $\frac{1}{3} \times 4$ cm		



	hinese School ker Road)				
(541		Depth of the water			
		$=\frac{4}{2}+4=5.33$ cm			
		$=\frac{-}{3}$			
4	(a)(i)	$\angle ADC = 90^{\circ} (tangent \perp radius)$			
		$\angle ACD = 180^{\circ} - 90^{\circ} - 45^{\circ}$			
		= 45°			
	(ii)	$\angle BED = 180^{\circ} - 45^{\circ} = 135^{\circ}$			
		$\angle EBD = \frac{180^{\circ} - 135^{\circ}}{2}$			
	······································	= 22.5°			
	(:::)	D-G (DOD 2.1250			
	(iii)	Reflex $\angle BOD = 2 \times 135^{\circ}$			
**************************************	· x	= 270°			
	(iv)	$\angle DAC = \angle OAB(given)$			
	(IV)	$\angle DAC = \angle OAB(given)$			
		$\angle AOB = \angle ADC(\text{corr } \angle s, OB//DC) \text{Tuitio}$	n		.
		AOB is similar to $ADC$ (AA similarity test)			
	(1.)(1)	WITH	<b>(1)</b>		
	(b)(i)	AB = CF and $BF = FE$			
		BF = FE			
******		Let $\angle FBC = \angle BFC = x$ (isosceles triangle)			
		$\angle ABF = \angle CFE = 180^{\circ} - x \text{ (adj. } \angle \text{ on a st. line)}$			
					************
		$\Delta ABF \equiv \Delta CFE \text{ (SAS)}$			
	***************************************				
	(ii)	Because $\triangle ABF \equiv \triangle CFE$ , $\angle AFB = \angle CEF$		***************************************	
					***********
		$\angle AFB = \angle EFD$ (vertically opposite angles)	1 		*************
		$\therefore \angle DEF = \angle EFD$ , $DEF$ is an isosceles triangle.			
5	(a)	2000			
	(b)	$\frac{2000}{x+0.12}$ or $\frac{50000}{25x+3}$ or $\frac{200000}{100x+12}$			
	(0)	x+0.12 25 $x+3$ 100 $x+12$			
	(c)				
			l	<u> </u>	



Anglo-Chinese School (Barker Road) 2000 2000 = 200x + 0.122000(x+0.12) - 2000x = 200x(x+0.12) $200x^2 + 24x - 240 = 0$  $25x^2 + 3x - 30 = 0$ (d)  $x = \frac{-(3) \pm \sqrt{(3)^2 - 4(25)(-30)}}{}$ x = 1.0370 or -1.15708=1.037 or -1.157(3dp)(e)  $\frac{2000}{1.037} + \frac{2000}{1.037 + 0.12}$ =3657.248=3657.25(2dp) $\angle BCA = 205^{\circ} - 180^{\circ} = 25^{\circ}$ 6 (a)  $AB^2 = 180^2 + 250^2 - 2(180)(250)$  $AB = \sqrt{13332.29917}$ = 115.466 m (6 s.f.)= 115 m (3 s.f.)

(b)	$\sin \angle ABC = \sin 25^{\circ}$		
	$\frac{1}{250} = \frac{1}{115.466}$		
	$\sin \angle ABC = \frac{\sin 25^{\circ}}{115.466} \times 250$		
	$\angle ABC = 180 - 66.210^{\circ} = 113.79^{\circ} \text{ (2 d.p.)}$		
	OR		
	$\frac{\sin \angle BAC}{180} = \frac{\sin 25^{\circ}}{115.466}$ $\angle ABC = 180 - 25 - 41.2099 = 113.8^{\circ} \text{ or simply find}$ Bearing = 180 - 41.2099		
	OR $\cos \angle ABC = \frac{180^2 + 115.466^2 - 250^2}{2(180)(115.466)}$		
	Bearing of $A$ from $B$		
	=25°+113.79°		T
	=138.8° (1 d.p.)		
	4		



The sales of the s	
Anglo-Chinese School	
(Barker Road)	

1			, ,
(c)	Let $BX$ be the shortest distance from $B$ to $AC$ .		
(0)			
	$\cos 25^\circ = \frac{CX}{180}$		
	$CX = 180 \times \cos 25^{\circ}$		
	= 163.135 m		***************************************
	Distance travelled		
	= 250 - 163.135		
	= 86.865 m (5 s.f.)		
	= 86.9 m (3sf)		
	OR		
	$\cos 41.2099^{\circ} = \frac{AX}{115.466}$		
	$AX = 86.9 \mathrm{m}$		
	AA - 80.9 III		
(d)	BX = 76.0707		
(4)			
	$\tan \theta = \frac{10}{76.0707}$		
	$\theta = 7.4889$	<del> </del>	
	$=7.5^{\circ}(1dp)$		
	Taria		
7 (a)	Tuitio:		
(b)	TATITLE		
	With		
	A COM		
	100 C		
	2		
	0 2 6 6 0		
(c)	y = 1 drawn		
	x = 1.25  or  4.75		
(d)	Tangent of gradient -2.5 drawn		
(-)	x = 0.85		



Anglo-Chinese School (Barker Road)

(Barker R	oad)						
(6	e)(i)	y + x = 5 drawn					
		x = 0.35 or $4.15$					
		2					
(i	i)	$5 - x = \frac{x}{3} + \frac{2}{x} - 1$					
		$2x^2 - 9x + 3 = 0$					
		A=2					
		B=9					
			m.	:4:03			
8 (a	a)	$12000\left(1+\frac{r}{100}\right)$	=13267	IUOii			
		( 100)	1/1	than			
		$\left(1 + \frac{r}{100}\right)^3 = \frac{132}{120}$	$\frac{267}{000}$				
		7 1326	7				
		$1 + \frac{r}{100} = \sqrt[3]{\frac{1326}{1200}}$	$\frac{7}{10}$				
		r = 3.4023	70		1		
		r = 3.40(3sf)					
		7 = 3.70(38)					
a	b)	52500 17	<b>-</b>				
	9)	$\frac{5}{100} \times 3500 = 17$	3				
		107					
		$\frac{107}{100} \times 175$					
		=187.25					
(6	c)	Total Costs inc	urred hv /				
		Total Costs IIIC	uniou by F				
		Production	\$99 per	99×90			
		Cost of the	set	=8910			
		product Parcel	\$3.50	3.50×90			
		Parcel Packaging	per set				
		Cost	F	= 315			
		Shipping Fee	\$1.41	1.41×90			
		to buyer	per set	=126.90			
		Advertising	\$16 per	16×30			
		Fees on	day	= 480			
		ShopNow	<u> </u>	L		<u></u>	



(Barker Road)

Marking Scheme Secondary 3 End-Of-Year Examination SEC 3Express 2021 P2

I	Additional	\$392.10	392.10
l			392.10
1	Fees charged	per	
	by ShopNow	month	
	Office Rental	\$600 per	600
	Cost	month	
l	inclusive of		
İ	utilities		
Į	Total cost per	product	\$10824

If she earns 30% profit,  $1.3 \times 10824$ 

=14071.20Suggested Price Persettion

$$=\frac{14071.20}{90}$$

=\$156.35(2dp)



If she earns 20% profit,  $1.2 \times 10824$ 

=12988.80

Suggested Price per set

$$=\frac{12988.80}{}$$

=\$144.32(2dp)

Amelia should price the product at \$145 as it is cheaper than what the other online seller is charging at \$150.

OR

Amelia should price the product at \$156.35 so that she can earn the highest percentage of profit from her sales. (This answer is acceptable as the advertising fees is significant in real context to channel more visitor traffic to buy the product from her or it could be a case whereby the other online seller may run out of stocks or her regular



(Barker Road)	
	customers do not mind paying more for her good service)
	OR
	Amelia should price the product at \$150 similar to what the other online seller is charging since they are the only two sellers online.